

ITEM 04304.04 M PREPARING FINE GRADE

DESCRIPTION: This work shall consist of preparing fine grade on the existing subbase course in conformity with the lines, grades, thicknesses and typical sections shown on the plans or as determined by field conditions and as directed by the Engineer.

MATERIALS: Additional material that is required for fine grading shall conform to the material specification for the appropriate Subbase Course - Granular Material item included in the contract.

CONSTRUCTION DETAILS: The final surface of the existing subbase course shall be fine graded so that after final compaction and prior to placement of pavement, the surface elevation shall not vary more than 6 mm above or below the design line and grade at any location. The surface shall be prepared within the stated tolerance, and approved by the Engineer, prior to placing an overlaying course. If the subbase course is disturbed after approval, the Contractor shall repair and regrade the damaged areas to the satisfaction of the Engineer.

METHOD OF MEASUREMENT: The quantity to be paid for under this item will be measured as the number of square meters of existing subbase surface prepared at locations indicated on the plans or where directed by the Engineer.

BASIS OF PAYMENT: The unit cost per square meter bid shall include the cost of furnishing all equipment and labor necessary to satisfactorily complete the work. Any subbase material that may be required shall be paid for under its respective item.