

ITEM 17554.03 M - MSES WITH LIGHTWEIGHT BACKFILL MATERIAL

All of the requirements of Section 554 - Mechanically Stabilized Earth System apply with the following modification:

MATERIALS

Provide lightweight backfill material having a loose density of no more than 8.5 kN/m^3 and meeting the requirements of subSection 554-2.09. Determine the loose density by weighing the drained material struck in a truck body or other container of a known volume. Drain the material to the satisfaction of the Engineer. The frequency of testing shall be at the discretion of the Engineer.