

ITEM 10608.0120 M - CONCRETE DRIVEWAYS - CLASS F

DESCRIPTION. The work shall consist of the construction of portland cement concrete driveways shown on the plans.

MATERIALS. Subsection 608-2 of the Standard Specifications shall apply, except that the portland cement concrete shall comply with the specifications for Class "F" concrete in Subsection 501-2 under "Portland Cement Concrete-General." Concrete shall be proportioned in accordance with the aggregate weights specified for Class "F" concrete in Table 501-3, Concrete Proportions.

CONSTRUCTION DETAILS. Subsection 608-3.01 shall apply, except the curing period shall be two days when placement is made between June 1 and September 15 and three days at all other times.

METHOD OF MEASUREMENT. This work will be measured by the number of cubic meters of cement concrete computed from payment lines shown on the plans.

BASIS OF PAYMENT. The unit price bid per cubic meter shall include preparation of subgrade, wire fabric for reinforcement, and all other materials, equipment, and labor necessary to complete the work as called for on the plans and to the satisfaction of the Engineer. Any necessary excavation will be paid for separately.

Payment at the unit bid price will be made after the concrete driveways have been completed and opened to traffic.