

ITEM 10206.0315 M -TRAFFIC SIGNAL CONDUIT EXCAVATION AND RESTORATION IN ASPHALT CONCRETE

DESCRIPTION:

This work shall consist of the excavation and necessary backfill and restoration required for traffic signal conduits.

MATERIALS:

Materials for the restoration of top surfaces shall be as indicated on the plans and as approved by the Engineer

CONSTRUCTION DETAILS:

The requirements of subsection 206-3 of the Standard Specifications shall apply with the following additions:

When the contractor is required to excavate through portland cement concrete, asphalt concrete or composite pavement, or sidewalk, he shall saw cut along neat lines as shown on the plans or as ordered by the Engineer. An approved power saw, as approved by the Engineer prior to actual use, shall be used to saw cut to the depth specified on the plans or as directed by the Engineer.

The conduit excavation and backfill and the restoration of top surface courses shall also conform to the applicable notes and details shown on the plans.

METHOD OF MEASUREMENT:

Subsection 206-4.03 of the Standard Specifications shall apply.

BASIS OF PAYMENT:

The unit price bid per linear meter shall include the cost of furnishing all labor, materials, and equipment necessary to complete the work including excavation, backfill, saw cutting, and restoring as shown on the plans.

Any damage to existing pavement, sidewalk, curb, or other facilities caused by the Contractor's operations shall be repaired by the Contractor to the satisfaction of the Engineer at no additional cost to the State.