

ITEM 304.01---- 10 - SUBBASE COURSE FOR THE CONSTRUCTION OF PERVIOUS/POROUS PAVEMENT SYSTEMS

DESCRIPTION

This work shall consist of furnishing and placing, as shown on the plans or as directed by the Engineer, a subbase course consisting of crushed stone or crushed gravel.

MATERIALS

The subbase materials shall be a Size Designation #2, crushed stone or crushed gravel, meeting the requirements of §703-02, Coarse Aggregate.

CONSTRUCTION DETAILS

Place the subbase material on the grade with a mechanical spreader. The Engineer may waive this requirement for those locations where it is deemed not practical. In those locations, place the subbase material with trucks and carefully unload on the grade so that the distance the material must be moved is minimized. Do not spread material from piles dumped on the grade. Remove and replace any and all portions of this course which become contaminated, degrade or otherwise do not conform to the requirements of these specifications.

The subbase material must be compacted to the satisfaction of the Engineer.

METHOD OF MEASUREMENT

The quantity to be paid for shall be the number of cubic meters of material placed, measured in the completed work, within the payment lines, as shown on the plans or as ordered by the Engineer.

BASIS OF PAYMENT

The unit price bid shall include costs of all labor, material, and equipment necessary to properly complete the work.

Payment will be made under:

Item No.	Item	Pay Unit
304.01----10	Subbase Course for the Construction of Porous/Pervious Pavement Systems	Cubic Meter