

ITEM 10607.4016 M - STEEL CHAIN-LINK GATE (SINGLE LEAF, 1220 MM OPENING), 1830 MM HIGH
ITEM 10607.4061 M - STEEL CHAIN-LINK GATE (DOUBLE LEAF, 4880 MM OPENING), 1830 MM HIGH
ITEM 10607.4066 M - STEEL CHAIN-LINK GATE (DOUBLE LEAF, 6100 MM OPENING), 1830 MM HIGH

All the provisions of Section 607 pertaining to fence gates for Chain-Link Fence, Type I, shall apply except for the following:

The fence fabric and frame options shall be as listed below.

Fabric Options

Galvanized Steel

Aluminum Coated Steel

Frame Options

Galvanized Steel

Combined Coating on Steel

Aluminum Coated Steel

Gate fabric shall conform to the requirements of the fabric used in the fence construction.

Fittings shall conform to the requirements of Subsection 710-10.03 except that aluminum alloy fittings shall not be used.

Gate posts shall be steel of the type and size indicated on the Standard Sheet "Gates and Chainlink Fence Adjacent to Grates," except that the optional Roll-Formed posts shall not be used. Gate posts shall be either Class A, Schedule 40 pipe or Class B, steel tubing at the Contractor's option.