

## **ITEM 607.9401—10 – REMOVE AND RESET TEMPORARY CHAIN-LINK FENCING**

### **DESCRIPTION**

This work shall consist of removing existing chain-link fencing and resetting of the same fencing in accordance with the Plans, Specifications and Standard Sheets as specified by the Engineer.

### **MATERIALS**

All new fencing hardware shall comply with the requirements of the Standard Specification Subsection 607-2 Materials.

Concrete shall conform to the requirements of Section 501, Portland Cement Concrete – General, and shall be Class A.

### **CONSTRUCTION DETAILS**

The Contractor shall carefully remove the existing chain-link fencing as specified by the Engineer. In addition, all provisions of the construction details of Subsection 607-3, Construction Details, shall apply or as directed by the Engineer.

The Contractor shall supply all additional fence hardware, including tension wires, caps, rods, turnbuckles, bars, band, etc., necessary to supplement the existing materials so that the reset fence will conform to the details shown on the Plans or Standard Sheets for chain-link fencing. The materials supplied shall conform in type to the existing fence being relocated.

Unless otherwise shown on the Plans, if the existing fence which is to be relocated has top rail, the top rail shall not be reused and the fence shall be reinstalled conforming to the details shown on the Plans or Standard Sheets for fencing with top tension wire.

Any fence damaged in handling and placing shall be replaced at the Contractor's expense.

### **METHOD OF MEASUREMENT**

The quantity to be paid for will be the number of linear meters of chain-link fencing measured along the top of fencing center to center of end posts, reset in place as shown on the Plans, Standard Sheets and directions of the Engineer.

### **BASIS OF PAYMENT**

The unit price bid per linear meter shall include the cost of furnishing all labor, materials and equipment necessary to complete the work including, excavation, backfilling, handling, transportation, fence hardware and all incidentals necessary to complete the work.

The cost of removing and disposing of any fence which is not to be reset shall be included in the price bid for Clearing and grubbing. If such item is not part of the Contract, then the cost for fence removal shall be as shown on the Plans.