

ITEM 615.07-----08 M - STREET BENCH ASSEMBLY

DESCRIPTION

This work shall consist of furnishing and installing street bench assemblies in the locations identified in the contract documents or as directed by the Engineer. The Contractor shall verify the type, quantity, location and installation method for each street bench assembly with the Engineer and in consultation with the Landscape Architect, prior to ordering.

MATERIALS

The materials used in this work shall conform to the following requirements:

1. Frame – End supports with integral armrests and center arm of sand-cast aluminum. Leg section is 38mm x 50.8mm oval shape. Seat straps and back straps are sand-cast aluminum. End supports are connected by two A36 steel channels 38mm x 14.3mm x 4.8mm fastened with black oxide finished stainless steel cap screws.
2. Seat and Back Panels – Extruded aluminum boards nominal thickness 31.8mm thick. Extruded aluminum face boards conceal steel channels. Each board is fastened with at least four black oxide finished stainless steel screws.
3. Size – Nominal size is 635mm deep x 813mm high x 1861mm long.
4. Finish – Finish on metal is Landscape Forms' Pangard II finishing process that includes a rust inhibitor and top coat finish of thermosetting polyester powdercoat that is U.V., chip and flake resistant.
5. Color – Standard black.

Manufacturer. The street bench assembly shall be the model listed or approved equal by the Landscape Architect.

Landscape Forms, Inc.
431 Lawndale Avenue
Kalamazoo, MI 49048
Telephone # (800)521-2546
Telephone # (269)381-0396
www.landscapeforms.com

Model: Plainwell, 6' (1829mm), Aluminum Seat Panel, Center

Arm Rest,

CONSTRUCTION DETAILS

The Contractor shall submit catalog cuts, including color samples, to the Landscape Architect for approval prior to purchase of the street bench assemblies. The assembled street bench shall be a surface mount installation at locations shown on the plans in accordance with the specifications and recommendations of the manufacturer. Street bench assemblies shall be set level and plumb, and be anchored to concrete platforms with corrosion-resistant anchor bolts as locations shown in plans, details, specifications and as approved by Engineer.

METHOD OF MEASUREMENT

This work will be measured as the number of street bench assembly supplied and installed in accordance with the plans, specifications and direction of the Engineer.

BASIS OF PAYMENT

The unit price bid for each street bench assembly shall include the cost of furnishing all labor, materials, and equipment necessary to satisfactorily complete the work.

DISAPPROVED BY EI 12-001